
Contents

Preface	xvii
Acknowledgements	xxi
List of Contributors	xxiii
List of Figures	xxvii
List of Tables	lxi
List of Abbreviations	lxv
1 Optical Interconnect Technologies for Datacenter Networks	1
<i>Chongjin Xie</i>	
1.1 Introduction	1
1.2 Intra-datacenter Interconnects	4
1.2.1 40G Optical Interconnect Technologies	8
1.2.2 100G Optical Interconnect Technologies	11
1.2.3 400G and Beyond Optical Interconnect Technologies	14
1.3 Inter-datacenter Interconnects	17
1.3.1 Inter-datacenter Interconnects in Metro Networks	21
1.3.2 Inter-datacenter Interconnects in WANs	23
1.4 Summary	26
References	26
2 Vertical Cavity Surface Emitting Lasers	33
<i>Wenbin Jiang</i>	
2.1 Introduction	33
2.2 Technology Fundamentals	33
2.3 VCSEL Device Structure	38

2.4	VCSEL Material Growth	57
2.5	VCSEL Fabrication Process	65
2.6	Conclusion	72
	References	73
3	Direct Modulation Laser Technology: Past, Present, and Future	87
	<i>Yasuhiko Matsui</i>	
3.1	Introduction	87
3.2	Intuitive Picture of the Dynamics of Directly Modulated Lasers	91
3.3	Progress of High-Speed FP and DFB Lasers	97
3.3.1	1.55 μm DML	97
3.3.2	1.3 μm DML	101
3.3.3	Short-Wavelength DML	103
3.4	Reach Extension of DML for PON and Metro Applications	104
3.4.1	Principle of Reach Extension of DML by Tailoring Chirp	104
3.4.2	10 Gbit/s Transmission Performance of Adiabatic- and Transient-Chirp Dominant DMLs	108
3.4.3	Gain Compression Phenomena	110
3.4.4	Experimental S21 Response and Transmission Performance of a Highly-Damped DBR Laser	114
3.4.5	Thermal Wavelength Drift Stabilization for the Burst-Mode NGPON2 Application	116
3.5	Chirp Managed Laser (CML)	121
3.5.1	Principles of CML	122
3.5.2	Experimental Demonstrations of CML	131
3.6	New Era of High-Speed DML Toward 100-GHz Bandwidth	138
3.6.1	Detuned-Loading Effect	139
3.6.2	S21 High-Pass Filter Effect Due to In-Cavity FM-AM Conversion by the DBR Mirror	145
3.6.3	Photon-Photon Resonance Effect	149
3.6.4	Co-Existence of Photon-Photon Resonance and Detuned-Loading Effects	152
3.6.5	55-GHz Bandwidth Short-Cavity DR Laser and 56 Gbaud PAM4 Generation	154
3.7	Conclusions	157
	References	158

4 PAM4 Modulation Using Electro-absorption Modulated Lasers	173
<i>Trevor Chan and Winston Way</i>	
4.1 Introduction	173
4.2 General PAM4 Optical Transceiver and Link Considerations	175
4.2.1 PAM4 Signal and Optical Link Characteristics	175
4.2.2 EML Biasing and Nonlinear Equalization	178
4.2.3 Forward Error Correction (FEC) and Data Rates for PAM4 Links	179
4.2.4 Sampling Rate and Analog Bandwidth	180
4.2.5 FFE and DFE Equalization	182
4.3 28 Gbaud PAM4 Transmission	183
4.4 56 Gbaud PAM4 Transmission over 2 km Experiment	185
4.5 40 km PAM4 Transmission	189
4.5.1 Avalanche Photodiode (APD)	189
4.5.2 Gain Clamped Semiconductor Optical Amplifier (GC-SOA)	189
4.6 100 km PAM4 Transmission	194
4.6.1 Experimental Setup	194
4.6.2 Single Channel Characteristics	195
4.6.3 Effect of Fiber Nonlinearities	195
4.7 Multipath Interference	197
4.7.1 Experimental Demonstration of the Upper Bound MPI Scenario	199
4.7.2 Time-Domain Mixing Monte Carlo Simulation	201
4.7.3 MPI Experiment with Multiple Connectors	203
4.8 Summary	207
References	208
5 Optical Fiber for Datacenter Connectivity	213
<i>Yi Sun and John Kamino</i>	
5.1 Introduction	213
5.2 Fiber Type for Datacenters	218
5.2.1 Multimode Fiber Types for Datacenters	218
5.2.2 Single-mode Fiber Types for Datacenters	220
5.2.3 Optical Cabling for Datacenters	221
5.2.4 Multicore (MCF) and Few-Mode Fiber (FMF) for SDM	223

5.3	Waveguide Design, Modal Structure, and Time Response of SMF and MMF for Datacenters	224
5.3.1	Fundamentals of Waveguide Design and Mode Structures of SMF and MMF	224
5.3.2	Fundamentals of the Time Response of Optical Fiber	228
5.4	Multimode Optical Fiber for High-Speed Short-Reach Interconnect	235
5.4.1	Laser-optimized MMF (OM3 and OM4)	235
5.4.1.1	What is Laser-optimized MMF?	235
5.4.1.2	Differential Modal Delay (DMD)	236
5.4.1.3	Bandwidth of MMF Links	238
5.4.2	Bend-optimized OM3/OM4 and Overfilled Effective Modal Bandwidth	242
5.4.3	Wideband MMF (OM5)	244
5.5	High-Speed VCSEL-MMF Short-Reach Optical Interconnect System	247
5.5.1	System Evaluation Methodology	248
5.5.2	High-Speed VCSEL-MMF System Transmission Validation	251
5.5.2.1	10GBASE-SR transmission over OM3 and OM4 MMF	251
5.5.2.2	40GBASE-eSR4 and 100G eSR4 extended reach demonstration over OM4 MMF	253
5.5.2.3	40/100 Gbps SWDM over OM5 MMF	256
5.5.2.4	High-Speed PAM4 SWDM transmission over OM5 MMF	260
5.6	Datacom Transmission over Single-Mode Optical Fiber	263
5.7	Conclusions	268
	References	270
6	PAM4 Signaling and its Applications	279
	<i>Frank Chang</i>	
6.1	Introduction	279
6.2	A Brief History	280
6.3	PAM4 IC Implementation Challenges	281
6.3.1	PAM4 Transmit Architectures	282
6.3.2	PAM4 Receive Architectures	284
6.4	PAM4 SMF Performance	287
6.4.1	Experimental Setups	287
6.4.2	1λ 40G 10 km Transmission	289

6.4.3	2 λ 100G 10 km and 40 km Transmissions	290
6.4.4	Technical Options for 200/400G Over SMF	291
6.5	PAM4 MMF Performance	293
6.5.1	Experimental Setups	294
6.5.2	1 λ 40G Transmission Over 550m OM4	295
6.5.3	2 λ 100/200 Gbps 300 m Transmission	296
6.5.4	Technical Options for 200/400G Over VCSEL/MMF	297
6.6	PAM4 for OSNR-limited Systems at 1550 nm	299
6.6.1	Experimental Setups	299
6.6.2	OSNR and Dispersion Performance	300
6.7	PAM4 Compliance Tests	302
6.7.1	Transmitter Dispersion Eye Closure for PAM4 (TDECQ)	306
6.7.2	Optical Stressed Receiver Sensitivity	310
6.8	Single Lambda PAM4	312
6.9	Summary and Outlook	319
	References	321
7	Discrete Multitone for Metro Datacenter Interconnect	327
	<i>Gordon Ning Liu, Tianjian Zuo and Liang Zhang</i>	
7.1	Introduction	327
7.2	A Brief History of DMT	328
7.3	How DMT Works	329
7.3.1	FFT/IFFT	330
7.3.2	Cyclic Prefix	331
7.3.3	Loading Algorithm	333
7.3.4	PAPR Suppression	334
7.3.5	Synchronization	336
7.3.6	Channel Equalization	337
7.4	Advanced DMT Techniques for Metro DCI	338
7.4.1	The Principle of CD-induced Power Fading	339
7.4.2	Generations of SSB-DMT	340
7.4.2.1	Optical filter-based SSB-DMT	340
7.4.2.2	E/O modulator-based SSB-DMT	342
7.4.3	Generation of EDC-DSB-DMT	344
7.4.4	Generation of Twin-SSB-DMT	345
7.4.5	Generation of SSBI-free Twin-SSB-DMT	347
7.5	Summary	349
	References	350

8 A Duobinary Approach Toward High-speed Short-reach Optical Interconnects	357
<i>Xin (Scott) Yin, Guy Torfs and Johan Bauwelinck</i>	
8.1 Introduction	357
8.2 Three-Level Electrical Duobinary Modulation	358
8.2.1 Nyquist Frequency	359
8.2.2 Power Spectral Density	360
8.2.3 Vertical and Horizontal Eye Openings	361
8.3 100-Gbps EDB/NRZ Transmitter and Receiver Chipset	363
8.4 EDB/NRZ Transmission with DFB-TWEAM	365
8.5 NRZ-OOK Transmission with GeSi EAM	369
8.6 SM LW-VCSEL EDB Links	371
8.7 Conclusion	372
References	372
9 LiNbO₃ Mach-Zehnder Modulator	377
<i>Hirochika Nakajima and Yuya Yamaguchi</i>	
9.1 Introduction	377
9.2 Physical Properties of LN (LiNbO ₃) Crystal	377
9.3 Low-loss Ti-diffused Waveguides on LN Since 1974	381
9.4 Mach-Zehnder (MZ) Guided-wave Circuit with Y-branches on LN	382
9.5 Velocity Matching Between Lightwave and Electric Signal	387
9.6 Stabilization of LN-MZM Operation	390
9.7 External Modulation by LN-MZM Accompanied with EDFA Repeating	392
9.8 Vector Modulation with LN-MZM for Digital Coherent Optical Communications	393
9.9 Current Status of LN-MZM and Future Potential	396
9.10 Summary	400
References	401
10 Silicon Photonics Based PAM4, DWDM Datacenter Interconnects	405
<i>Radhakrishnan Nagarajan and Mark Filer</i>	
10.1 Introduction	405
10.2 Datacenter Interconnect-Edge	409
10.3 Switch Pluggable 100Gbit/s DWDM Module	412
10.4 PAM4 DSP ASIC	413

10.5	Silicon Photonics	415
10.6	Module and Transmission Performance	417
10.7	Live Datacenter Deployments	424
10.8	Evolution to Switch Pluggable 400-Gbit/s DWDM Module .	426
10.9	Conclusion	427
	References	428
11	Low-Loss Photonic Integration: Applications in Datacenters	431
<i>Demis D. John, Grant Brodnik, Sarat Gundavarapu, Renan L. Moreira, Michael Belt, Taran Huffman and Daniel J. Blumenthal</i>		
11.1	Datacenters and Photonic Integrated Circuits	431
11.2	InP, Si, and Si ₃ N ₄ Waveguide Platforms	432
11.3	The Ultra-Low Loss Si ₃ N ₄ /SiO ₂ Platform	434
11.4	Integration Building Blocks on the ULL Silicon Nitride Platform	435
11.4.1	Available PIC Platforms	437
11.5	Ultra-Low Loss PIC Components for Datacom	439
11.5.1	Low-Loss PICs and Optical Delays	439
11.5.2	Integrated Dispersion Compensation	441
11.5.2.1	Design of an Integrated Dispersion Compensator	442
11.5.2.2	Demonstration of 40 Gbps NRZ-OOK Dispersion Compensation	446
11.5.2.3	Demonstration of 40 Gbps PAM-4 Dispersion Compensation	447
11.5.3	Grating Filters	450
11.5.4	Ring Resonator Filters	453
11.5.5	High-Extinction Filters	455
11.5.6	C-band Lasers on the Si ₃ N ₄ Platform	458
11.6	Silicon-Nitride Waveguide Design	465
11.7	Summary	470
	References	471
12	Advanced Optical Measurements for Data Centers	481
<i>Steve Yao, Wajih Daab, Gang He and Daniel Gariépy</i>		
12.1	Introduction	481
12.2	Polarization Related Tests	482
12.2.1	Polarization Mode Dispersion (PMD) Measurement	489

12.2.2	Polarization Dependent Loss (PDL) Measurement	494
12.2.3	PDR Measurement of Receivers	498
12.2.4	PDL Measurement of Fiber Optic Link	500
12.2.5	Measuring In-band OSNR by DOP Measurement	502
12.2.6	Polarization Emulation for Non-coherent and Coherent Systems	504
12.3	Optical Signal-to-Noise Ratio Measurement	509
12.3.1	Measuring OSNR with an OSA	510
12.4	Characterization of Optical Vector-Modulated Signals	525
12.4.1	Constellation and IQ Diagrams for Vector-Modulated Signal	526
12.4.2	Definitions of EVM, RMS-EVM and TR-EVM	528
12.4.3	Relationships between EVM _{RMS} , Q-Factor, OSNR and BER	533
12.4.4	Characterization of Transmitter Impairments	536
12.5	Conclusion	543
	References	543
13	Digital Signal Processing for Short-reach Optical Communications	549
	<i>Kangping Zhong, Xian Zhou, Jiahao Huo, Alan Pak Tao Lau, Chao Lu and Li Zeng</i>	
13.1	Introduction	549
13.1.1	Challenges for Short-reach Optical Systems	550
13.1.1.1	Cost	550
13.1.1.2	Form factor	551
13.1.1.3	Latency	551
13.1.2	Different Types of Short-reach Systems	551
13.1.2.1	Server-to-server or Intra-data-center links	551
13.1.2.2	Inter data-center links	551
13.1.2.3	Extended Reach Inter-data-center, Access, and Metro Links	552
13.2	Modulation Formats for Short-reach Systems	552
13.2.1	Pulse Amplitude Modulation (PAM)	553
13.2.2	Carry-less Amplitude and Phase (CAP) Modulation .	555
13.2.3	Discrete Multi-tone (DMT) Modulation	556
13.2.4	Performance Comparison of Modulation Formats . .	558
13.2.5	Complexity Comparison of Modulation Formats . .	561

13.2.6 Recent Experiment on High-Speed Short-reach Transmission Systems	563
13.3 Digital Signal Processing for Short-reach Systems	564
13.3.1 Feed-forward Equalizer (FFE)	564
13.3.2 Decision Feedback Equalizer (DFE)	566
13.3.3 Direct Detection Faster-than Nyquist (DD-FTN) . .	567
13.3.4 Volterra-series Based Nonlinear Equalizer (VNLE) .	569
13.4 Polarization Division Multiplexed Transmission for Short-reach Systems	570
13.4.1 Stokes-vector Direct Detection (SV-DD) Receiver .	571
13.4.2 2-Dimensional (2D) PDM-DD System Based on SV-DD Receiver	573
13.4.3 3-Dimensional (3D) PDM-DD System Based on SV-DD Receiver	577
13.5 Conclusion	578
References	579
14 Multi-dimensional Polarization Modulation	585
<i>Di Che, An Li, Xi Chen, Qian Hu and William Shieh</i>	
14.1 Optical Detection with Polarization Diversity	586
14.1.1 The Need of Polarization-Diversity Detection	586
14.1.2 Automatic Polarization Control	590
14.1.3 Polarization-Diversity Detection in Jones Space . .	591
14.1.4 The Barrier of Self-Polarization Diversity	591
14.1.5 Polarization-Diversity Detection in Stokes Space .	593
14.2 Direct Modulation with Coherent Receiver	594
14.2.1 The Intensity-only POL-MUX-DM Coherent System	595
14.2.2 Complex DM Model	596
14.2.3 100-Gb/s CDM Transmission Over 1600-km SMF .	598
14.3 Polarization Modulation in Stokes Space	601
14.3.1 Stokes-space Modulation	601
14.3.2 Universal MIMO Equalization in Stokes Space . .	603
14.3.3 Self-coherent SSM	605
14.3.4 Multi-Dimensional IM in Stokes Space	607
14.4 Noncoherent Polarization Multiplexing	608
14.4.1 Degree of Coherence in POL-MUX Transmitter .	608
14.4.2 Noncoherent POL-MUX Schemes	609
14.5 Summary	613
References	613

15 High-speed Flexible Coherent Optical Transport Network	621
<i>Tiejun J. Xia and Glenn A. Wellbrock</i>	
15.1 Introduction	621
15.2 Why Optical Coherent Transmission?	626
15.3 Optical Transport Network with Coherent Transmission	632
15.4 What's Next for Optical Transport Network?	636
15.5 Coherent Transport Technology Development by Network Operators	639
15.6 Datacenter Connections and Coherent Transport Networks	644
15.7 Conclusions	647
References	647
16 Ultra-low-power SiGe Driver-IC for High-speed Electro-absorption Modulated DFB Lasers	659
<i>Jung Han Choi</i>	
16.1 Introduction	659
16.2 IC Design for Low Power Consumption	660
16.2.1 Design Requirements	660
16.2.2 IC Architectures for Low Power Consumption	661
16.2.3 Driver-IC Design	666
16.2.3.1 Unit-cell design	666
16.2.3.2 Circuit Simulations	668
16.3 Co-design and Electro-optical Simulation	670
16.3.1 Low-power CoC Design	670
16.3.2 Co-simulation of Driver-IC with EML	672
16.3.2.1 Electrical Time-domain Simulations	672
16.3.2.2 Electro-optical Time-domain Simulations	672
16.4 Measurements	673
16.4.1 EO Measurements	673
16.4.2 Transmission Experiments	675
16.5 Conclusion and Perspective	679
References	680
Index	681
About the Editor	685

List of Contributors

Alan Pak Tao Lau, *Department of Electrical Engineering, The Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong SAR, China*

An Li, *Futurewei Technologies, Santa Clara, CA, USA*

Chao Lu, *Department of Electronic and Information Engineering, The Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong SAR, China*

Chongjin Xie, *Alibaba Infrastructure Service, Alibaba Group, Sunnyvale, CA, USA*

Daniel J. Blumenthal, *University of California Santa Barbara, California, USA*

Daniel Gariépy, *EXFO Inc., Quebec, Canada*

Demis D. John, *University of California Santa Barbara, California, USA*

Di Che, *The University of Melbourne, Melbourne, Australia*

Frank Chang, *Inphi Corp, California, USA*

Gang He, *EXFO Inc., Quebec, Canada*

Grant Brodnik, *University of California Santa Barbara, California, USA*

Glenn A. Wellbrock, *Verizon, Richardson, TX, USA*

Gordon Ning Liu, *Huawei Technologies Co., Ltd., Shenzhen, China*

Guy Torfs, *imec - Ghent University, IDLab, Gent, Belgium*

Hirochika Nakajima, *Waseda University, Tokyo, Japan*

Jiahao Huo, *University of Science and Technology Beijing, Beijing, China*

Johan Bauwelinck, *imec - Ghent University, IDLab, Gent, Belgium*

John Kamino, *OFS Fitel LLC, Norcross, GA, USA*

Jung Han Choi, *Fraunhofer Heinrich-Hertz-Institute, Berlin, Germany*

Kangping Zhong, *MACOM Technology Solutions Inc, Shenzhen, China*

Li Zeng, *Huawei Technology Ltd, Shenzhen, China*

Liang Zhang, *Huawei Technologies Co., Ltd., Shenzhen, China*

Mark Filer, *Microsoft Corporation, Redmond, WA, USA*

Michael Belt, *Honeywell Inc., California, USA*

Qian Hu, *Nokia Bell Labs, Stuttgart, Germany*

Radhakrishnan Nagarajan, *Inphi Corporation, Santa Clara, CA, USA*

Renan L. Moreira, *University of California Santa Barbara, California, USA*

Sarat Gundavarapu, *University of California Santa Barbara, California, USA*

Steve Yao, *General Photonics Corporation, California, USA*

Taran Huffman, *GenXComm Inc., Austin, TX, USA*

Tianjian Zuo, *Huawei Technologies Co., Ltd., Shenzhen, China*

Trevor Chan, *Neophotonics, California, USA*

Tiejun J. Xia, *Verizon, Richardson, TX, USA*

Wajih Daab, *General Photonics Corporation, California, USA*

Wenbin Jiang, *WJ Technologies LLC, California, USA*

William Shieh, *The University of Melbourne, Melbourne, Australia*

Winston Way, *Neophotonics, California, USA*

Xi Chen, *Nokia Bell Labs, Holmdel, New Jersey, USA*

Xian Zhou, *University of Science and Technology Beijing, Beijing, China*

Xin (Scott) Yin, *imec - Ghent University, IDLab, Gent, Belgium*

Yasuhiro Matsui, *Finisar Corporation, Fremont, CA, USA*

Yi Sun, *OFS Fitel LLC, Norcross, GA, USA*

Yuya Yamaguchi, *National Institute of Information and Communications Technology (NICT), Tokyo, Japan*