



Microsoft®  
**2012** eScience Workshop  
eScience in Action





# Jim Gray eScience Award


2012 Microsoft eScience Workshop

Hyatt Regency Chicago

October 9, 2012

# The Jim Gray eScience Award

- Awarded to
  - A researcher who has made an outstanding contribution to the field of data-intensive computing.
  - An innovator whose work truly makes science easier for scientists.
  - A ground-breaking contributor to the field of eScience.
  - One who pursues an open, supportive, collaborative research model.



“Jim preferred doers over talkers”

– Catharine van Ingen

# The lineup

astronomy  
workflow  
environmental science  
computational biology  
oceanic and atmospheric studies




**Alex Szalay**  
*Alumni Centennial  
Professor  
The Johns Hopkins  
University*

2007



**Carole Goble**  
*Professor, School of  
Computer Science  
University of  
Manchester*

2008




**Jeff Dozier**  
*Professor, Snow  
Hydrology, Earth  
Systems Science  
Remote Sensing –  
UC Santa Barbara*

2009



**Philip Bourne**  
*Professor, Department  
of Pharmacology  
University of California,  
San Diego*

2010



**Mark Abbott**  
*Dean and Professor  
College of Earth, Ocean,  
and Atmospheric Sciences  
Oregon State University*

2011



# 2012 Jim Gray eScience Award



# 2012 Jim Gray eScience Award



## Antony Williams

His selection as the 2012 winner of the Jim Gray eScience Award acknowledges Antony's leadership in making chemistry publically available through collective action. ChemSpider provides fast text and structure search access to data and links on more than 28 million chemicals, and this marvelous resource is freely available to the scientific community and the general public. Like the previous five winners of the Jim Gray award, Antony's contributions to eScience have led to the advancement of science through the use of computing.





Microsoft®  
**2012** eScience Workshop  
eScience in Action

# The Possibilities and Pitfalls of Internet-Based Chemical Data

**Antony Williams**  
Royal Society of Chemistry


# About Me... as a Chemist

- \* I've performed a few dozen chemical syntheses
- \* I've run thousands of analytical spectra
- \* I've generated thousands of NMR assignments
- \* I've probably published <5% of all work
- \* But things can be different today....

# My Early Scientific Computing




If it was not just about me...



# If it was not just about me...

- \* Together we might:
  - \* build an encyclopedia
  - \* ... and rate restaurants
  - \* ... provide book reviews to each other
  - \* ... or movie reviews
  - \* ... or reviews of service providers
  - \* ... organize sit-ins and social action
  - \* ... and more data might just be Open



# If it was not just about me...

\* Together we might:

\* build an encyclopedia



\* ... and rate restaurants



\* ... provide book reviews to each other **amazon.com**

\* ... or movie reviews **NETFLIX**

\* ... or reviews of service providers **Angie's list.**

\* ... organize sit-ins and social action

\* ... and more data might just be Open

\* ... **more Chemists might share rather than just take!**

# A story of a hobby gone wild...

## Years 1 and 2

- \* A hobby-project to connect chemistry data on the web
- \* Three servers – one purchased, two hand-built
- \* Software begged and borrowed – and thanks to Microsoft!
- \* Some late nights – 10pm to 2am for over a year
- \* Some survival of the naysayers in the community
- \* ...and taking advantage of a changing world of data availability and the crowdsourcing of willing participants
- \* **NO formal funding. Simply passion and abilities lining up.**



# ChemSpider (Year 2-present)

## \* *Building a Free Chemical Database*

\* A central hub for chemists to source information

\* >28 million unique chemical records

\* Aggregated from >400 data sources

\* Chemicals, analytical data, movies, images, podcasts, links to patents, publications, predictions

\* Web services for integration

\* Daily updates of data


# Answer Questions for Chemists

- \* Questions a chemist might ask...
  - \* What is the melting point of n-heptanol?
  - \* What is the chemical structure of Xanax?
  - \* Chemically, what is phenolphthalein?
  - \* What are the stereocenters of cholesterol?
  - \* Where can I find publications about xylene?
  - \* What are the different trade names for Ketoconazole?
  - \* What is the NMR spectrum of Aspirin?
  - \* What are the safety handling issues for Thymol Blue?


# A LITTLE Chemistry First








# Structural Diagrams





# Structural Diagrams





# Analytical Data



# Does Stereochemistry Matter?



# Does one stereocenter matter?




- Distaval, Talimol, Nibrol, Sedimide, Quietoplex, Contergan, Neurosedyn, Softenon, **Thalidomide**






# Structural Representations



CC(C)[C@@H](N)C(=O)O




CC(C)[C@H](N)C(=O)O

26	29	0	0	0	0	0	0	0	0	0	1	V2000
28.5814	-10.1773	-1.9118	C	0	0	0						
28.7872	-11.2789	-2.8314	O	0	0	0						
27.9434	-12.3121	-2.5033	C	0	0	0						
27.3170	-10.6017	-1.1805	C	0	0	0						
28.4273	-8.8528	-2.6723	C	0	0	0						
29.7808	-10.0933	-0.9842	C	0	0	0						
26.9692	-11.8613	-1.5539	C	0	0	0						
30.6602	-11.1619	-0.9380	C	0	0	0						
29.5196	-8.3328	-3.3521	C	0	0	0						
29.4154	-7.1290	-4.0289	C	0	0	0						
31.7788	-11.1097	-0.1230	C	0	0	0						
28.0403	-13.4475	-2.9129	O	0	0	0						
30.0202	-8.9710	-0.2039	C	0	0	0						
27.2235	-8.1591	-2.6831	C	0	0	0						
32.0229	-9.9838	0.6457	C	0	0	0						
28.2149	-6.4358	-4.0315	C	0	0	0						

CH<sub>3</sub>CH<sub>2</sub>OH  
ethanol


InChI=1/C2H6O/c1-2-3/h3H,2H2,1H3



InChI=1/C6H8O6/c7-1-2(8)5-3(9)4(10)6(11)12-5/h2,5,7-10H,1H2/t2-,5+/m0/s1

L-ascorbic acid

# The InChI Standard



InChI=1/C2H4ClNO2/c3-1(4)2(5)6/h1H,4H2,(H,5,6)/p+1/t1-m/s1/i3+0/fC2H5ClNO2/h4-5H/q+1

Main layer

Charge layer


Stereochemical layer

Isotopic layer

Fixed-H layer

# InChIKeys

## Search the Web by Structure




InChI=1/C5H5N5O/c6-5-9-3-2(4(11)10-5)7-1-8-3/h1H,(H4,6,7,8,9,10,11)

SHA-256 HASH  
Algorithm

Lookup

UYTPUPDQBNUYGX-UHFFFAOYAE

# I want to know about “Vincristine”



 2D 3D Save Zoom

 - 9 of 9 defined stereocentres

## Vincristine

ChemSpider ID: **5758**

Molecular Formula:  $C_{46}H_{58}N_4O_{10}$

Monoisotopic mass: 824.399644 Da

▼ Systematic name

(2 $\alpha$ ,2' $\beta$ ,3 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,19 $\beta$ )-22-oxovincal leukoblastine

► SMILES and InChIs

Wikibox

Embed

Deprecate

Watch this record

Manage data slice



### [Vincristine - Wikipedia, the free encyclopedia](#)

[en.wikipedia.org/wiki/Marqibo](http://en.wikipedia.org/wiki/Marqibo) ▾

[Mechanism](#) · [Uses](#) · [Side-effects](#) · [History](#) · [Suppliers](#)

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28)

Key:OGWKCGZFUXNPDA-XQKSVPLYSA-N ... Vincristine (brand name, Oncovin), ...

### [Vincristine - PubChem](#)

[pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=5978](http://pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=5978)

Also known as: Leurocristine, 22-Oxovincalcin, Vincristine ... Molecular

Formula: C 46 H 56 N 4 O 10 Molecular Weight: 824.95764 InChIKey:

OGWKCGZFUXNPDA-XQKSVPLYSA-N

### [Vincristine CAS 57-22-7 - Chemical Industries Manufacturer ...](#)

[www.chemicalregister.com/Vincristine/Suppliers/pid34508.htm](http://www.chemicalregister.com/Vincristine/Suppliers/pid34508.htm) ▾

LGM Pharma [www.lgmpharma.com/product/vincristine](http://www.lgmpharma.com/product/vincristine) | SEND INQUIRY | Profile ...

OGWKCGZFUXNPDA-XQKSVPLYSA-N

### [VINCRISTINE - PULP-PEDIA, THE BITCH CHEAP ENCYCLOPEDIA](#)

[lohere.net/kulkapedia/samuel/Vincristine](http://lohere.net/kulkapedia/samuel/Vincristine) ▾

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28) key:ogwkcgzfuxnpda-

xqksvplysa-n ... vincristine (brand name, oncovin), formally ...

### [وینکریستین - ویکی‌پدیا](#)

[fa.wikipedia.org/wiki/وینکریستین](http://fa.wikipedia.org/wiki/وینکریستین) ▾

... مآبولیسیم - ... مکاتیبیم اثر - موارد مصرف

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28) key:ogwkcgzfuxnpda-

xqksvplysa-n ... وین کریستین (به انگلیسی) vincristine ...

### [长春新碱 - 维基百科，自由的百科全书](#)

[zh.wikipedia.org/wiki/长春新碱](http://zh.wikipedia.org/wiki/长春新碱) ▾ [Translate this page](#)

[机理](#) · [用途](#) · [副作用](#) · [历史](#) · [另见](#) · [参考资料](#)

维基百科，自由的百科全书 ...

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28) key:ogwkcgzfuxnpda-

xqksvplysa-n

### [vincristine CAS 57-22-7 Reference, buy vincristine at guidechem](#)

[www.guidechem.com/reference/dic-179.html](http://www.guidechem.com/reference/dic-179.html) ▾

ogwkcgzfuxnpda-xqksvplysa-n **[canonical smiles]**

ccc1(cc2cc(c3=c(ccn(c2)c1)c4=cc=cc=c4n3)(c5=c(c=c6c(c5)c78ccn9c7c(c=cc9)

(c(c(c8n6c=o)(c(=o)oc)o)oc(=o)c)cc)oc(c(=o)oc)o

### [Learn and talk about Vincristine, Acetate esters, Alkaloids ...](#)

[www.digplanet.com/wiki/Vincristine](http://www.digplanet.com/wiki/Vincristine) ▾

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28)

Key:OGWKCGZFUXNPDA-XQKSVPLYSA-N ... Vincristine (brand name, Oncovin), ...

### [Vincristine Information, Videos, Pictures and News](#)

[www.rtbol.net/Vincristine](http://www.rtbol.net/Vincristine) ▾

Lucas' Port Access for Chemotherapy (Vincristine) 6 yr old having port ...

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28)

Key:OGWKCGZFUXNPDA-XQKSVPLYSA-N ...

### [Vincristineとは - goo Wikipedia \(ウィキペディア\)](#)

[wpedia.goo.ne.jp/enwiki/Vincristine](http://wpedia.goo.ne.jp/enwiki/Vincristine) ▾ [Translate this page](#)

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28)

Key:OGWKCGZFUXNPDA-XQKSVPLYSA-N ... Vincristine (brand name, Oncovin), ...

### [About: Vincristine](#)

[dbpedia.org/resource/Vincristine](http://dbpedia.org/resource/Vincristine) ▾ [Translate this page](#)

OGWKCGZFUXNPDA-XQKSVPLYSA-N; dbpprop:unii: 5 (xsd:integer)

dbpprop:verifiedfields: changed; dbpprop:verifiedrevid: 461759697 (xsd:integer) ...

### [vincristine: Definition from Answers.com](#)

[www.answers.com/topic/vincristine](http://www.answers.com/topic/vincristine) ▾

Jul 01, 2002 · Microtubules. Definition. Vincristine is a drug used to treat certain ...

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28)

Key:OGWKCGZFUXNPDA-XQKSVPLYSA-N ...

### [Vincristine Details - The People's Medicine Community](#)

[www.prescriptiondrug-info.com/drug\\_details.asp?title=Vincristine&...](http://www.prescriptiondrug-info.com/drug_details.asp?title=Vincristine&...) ▾

... c1-7-42(55)22-28-23-45(40(53)58-5,36-30(14-18-48(24-28)

Key:OGWKCGZFUXNPDA-XQKSVPLYSA-N ... Vincristine (brand name, Oncovin), ...

# Vincristine: Identifiers and Properties

## ▼ Names and Identifiers

Names and Synonyms ⓘ Database ID(s)

Validated by Experts, Validated by Users, Non-Validated,

(2'β)-22-Oxovincalokoblastine

200-318-1 [EINECS/ELINCS]

22-Oxovincalokoblastine

57-22-7 [RN]

vincalokoblastine, 22-oxo-

vincalokoblastine, 22-oxo-, (2'β)-

vincalokoblastine, 22-oxo-, (3β,4'β)-

Vincristine [Wiki]

Vincristinum [Latin]

VIN

## ▼ Properties

Experimental data Predicted - ACD/Labs Predicted - ChemAxon

Data supplied by datasources and users.

### • Experimental Physchem Properties

⊕ Melting Point: 218 - 220 C ⓘ

### • Miscellaneous

Appearance: solid ⓘ




Stability: Stable, but may be heat sensitive. Incompatible with strongoxidizing agents. ⓘ

Toxicity: IVN-RAT LD50 1300 mg kg-1, IPR-MUS LD50 5.2 mg kg-1 ⓘ

Safety: Safety glasses, gloves, good ventilation. ⓘ


# Vincristine: Vendors and Sources

## ▼ Chemical Vendors

Data Source	External ID(s)
Pharmten 	S-PTN3183
AvaChem Scientific 	1011, 1011B
AOKChem 	aokchem11421

## ▼ Data Sources

 Chemical Vendors	Biological Data	Publishers	Metabolism Data	Phys. Properties	Tox/Envir. Data
Natural Products	Data Aggregators	Safety Data	All Data Sources		

Data Source	External ID(s)
ChemBank	NCI60_026703
DiscoveryGate	5978
LeadScope 	LS-228
NIAID	002674
DrugBank	5978, APRD00495
Collaborative Drug Discovery	16374

# Vincristine: Patents

## ▼ Patents

Google Patents

[USPTO Granted](#)

[USPTO Applications](#)

[European Granted](#)

[European Applications](#)

[WO/PCT](#)

[Japanese Abstracts](#)

powered by Google™



### [Vincristine-containing product](#)

US Pat. 5055449 - Nov 07, 1988 - Akzo N.V.

**Vincristine** is a mitosis-retarding Vinca alkaloid which is fairly effective in combating various types of cancer, particularly Hodgkins disease and other ...



### [Method of preparing vincristine](#)

US Pat. 4375432 - Nov 16, 1981 - Eli Lilly and Company

**METHOD OF PREPARING VINCRIStINE CROSS-REFERENCE** This application is a continuation-in-part of my copending application Ser. No. 262836 filed May 12, 1981, ...



### [Process for the preparation of vincristine](#)

US Pat. 4767855 - Jun 02, 1986 - P. F. Medicament

**4767855 25 PROCESS FOR THE PREPARATION OF VINCRIStINE** The present invention relates to a particularly effi- 5 cient process for the preparation of ...



### [Method of preparing vincristine](#)


US Pat. 4303584 - Apr 02, 1980 - Eli Lilly and Company

Primary Examiner — Donald G. Daus Assistant Examiner — Diana G. Rivers Attorney, Agent, or Firm — James L. Rowe; Arthur R. Whale [57] **ABSTRACT Vincristine** ...



# Chemical Names and Synonyms

## VALIDATION OF NAMES



**(2'β)-22-Oxovincaleukoblastine**

200-318-1 [[EINECS](#)]

**22-Oxovincaleukoblastine**

57-22-7 [[RN](#)]

vincaleukoblastine, 22-oxo-

vincaleukoblastine, 22-oxo-, (2'β)-

vincaleukoblastine, 22-oxo-, (3β,4'β)-

Vincristine [[Wiki](#)]

# Validated Names for Searching...

Google scholar

"Vincristine" OR "Vincristinum" OR "57-22-7" OR

Search

[Advanced Scholar Search](#)

Scholar

Articles excluding patents

anytime

include citations



Create email alert Results 1 - 10 of about 196,000. (0.46 s)

Did you mean: "Vincristine" OR "**Vincristin**" OR "57-22-7" OR "22-Oxovincaleukoblastine" OR "vincaleukoblastine, 22-oxo-" OR "(2'beta)-22-Oxovincaleukoblastine" OR "vincaleukoblastine, 22-oxo-, (2'beta)-"

[Overcoming of vincristine resistance in P388 leukemia in vivo and in vitro through enhanced cytotoxicity of vincristine and vinblastine by verapamil](#)

[\[PDF\]](#) from aacrjourn

T Tsuruo, H Iida, S Tsukagoshi... - Cancer research, 1981 - AACR

Cancer Chemotherapy Center, Japanese Foundation for Cancer Research, Toshima-ku, Tokyo 170, Japan ... A noncytotoxic dose of verapamil, a coronary vasodilator, enhances the cytotoxicity of Vincristine (VCR) and vinblastine in P388 leukemia and its VCR-resistant subline, ...

[Cited by 994](#) - [Related articles](#) - [All 2 versions](#)

[Frontline therapy with rituximab added to the combination of cyclophosphamide, doxorubicin, vincristine, and prednisone \(CHOP\) significantly improves the outcome ...](#)

[\[HTML\]](#) from hematol

W Hiddemann, M Kneba, M Dreyling... - ..., 2005 - bloodjournal.hematologylibrary.org

From the Department of Internal Medicine III, University of Munich, Klinikum Großhadern; Department of Internal Medicine II, University Hospital Schleswig-Holstein, Campus Kiel; Department of Hematology and Oncology, Hospital St Georg, Hamburg; Department of Internal Medicine III, Klinikum ...

[Cited by 528](#) - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

[Increased accumulation of vincristine and adriamycin in drug-resistant P388 tumor cells following incubation with calcium antagonists and calmodulin inhibitors](#)


[\[PDF\]](#) from aacrjourn

T Tsuruo, H Iida, S Tsukagoshi... - Cancer Research, 1982 - AACR

Cancer Chemotherapy Center, Japanese Foundation for Cancer Research, Toshima-ku, Tokyo 170, Japan ... Some calcium antagonists and calmodulin inhibitors enhance the intracellular levels of vincristine and Adriamycin in vincristine- and Adriamycin-resistant P388 ...

[Cited by 459](#) - [Related articles](#) - [All 2 versions](#)

# Information System Architecture




# The Quality of Chemical Data Online

## What is the Structure of Vitamin K?

A lipid cofactor that is required for normal blood clotting. Several forms of vitamin K have been identified: **VITAMIN K1 (phytomenadione) derived from plants**, VITAMIN K2 (menaquinone) from bacteria & synthetic naphthoquinone provitamins, VITAMIN K3 (menadione).

# What is the Structure of Vitamin K1?

## 7380. Phylloquinone.



Vitamin K<sub>1</sub>


*The Merck Index*, 14th Edition



Copyright © 2010 Merck Sharp & Dohme Corp., a subsidiary of Merck & Co., Inc., Whitehouse Station, N.J., U.S.A. All rights reserved.

# What is the Structure of Vitamin K<sub>1</sub>?

## 7380. Phylloquinone.



Vitamin K<sub>1</sub>

*The Merck Index*, 14th Edition



Copyright © 2010 Merck Sharp & Dohme Corp., a subsidiary of Merck & Co., Inc., Whitehouse Station, N.J., U.S.A. All rights reserved.

# CAS's Common Chemistry

CAS Presents  
"COMMON  
CHEMISTRY"



[Search](#) | [About](#) | [Contact Us](#) | [Help](#)

## Substance Details


**CAS Registry Number: 84-80-0**

**CA Index Name:** 1,4-Naphthalenedione, 2-methyl-3-[(2E,7R,11R)-3,7,11,15-tetramethyl-2-hexadecenyl]-

Registry Number: 84-80-0

Formula:  $C_{31}H_{48}O_2$

ABSOLUTE STEREOCHEMISTRY.



# Wikipedia

New features  Log in / create account



WIKIPEDIA  
The Free Encyclopedia

- Main page
- Contents
- Featured content
- Current events
- Random article

- Interaction
  - About Wikipedia
  - Community portal
  - Recent changes
  - Contact Wikipedia
  - Donate to Wikipedia
  - Help

- Toolbox
- Print/export
- Languages
  - Suomi
  - Nederlands

Article [Discussion](#)

Read [Edit](#) [View history](#)

Search

## Phylloquinone

From Wikipedia, the free encyclopedia  
(Redirected from [Vitamin K1](#))

**Phylloquinone** is a [polycyclic aromatic ketone](#), based on [2-methyl-1,4-naphthoquinone](#), with a [3-phytyl](#) substituent.

It is a fat-soluble vitamin that is stable to air and moisture but decomposes in sunlight. It is found naturally in a wide variety of green plants.


### Contents [\[hide\]](#)

- [Terminology](#)
- [Mechanism](#)
- [See also](#)
- [References](#)

## Terminology [\[edit\]](#)

It is often called **vitamin K<sub>1</sub>**<sup>[1]</sup> or **phytonadione**. Sometimes a distinction is made with phylloquinone considered natural and phytonadione considered synthetic.<sup>[2]</sup>

A [stereoisomer](#) of phylloquinone is called **vitamin k<sub>1</sub>** (note the difference in capitalization).

Phylloquinone	
	
<b>IUPAC name</b> <a href="#">[hide]</a> 2-methyl-3-[(2E)-3,7,11,15-tetramethylhexadec-2-en-1-yl]naphthoquinone	
Identifiers	
CAS number	84-80-0
PubChem	4812
SMILES	<a href="#">[show]</a>
Properties	
Molecular formula	C <sub>31</sub> H <sub>46</sub> O <sub>2</sub>



# Wolfram Alpha



vitamin K1



Input interpretation:

[Mathematica form](#)

phytonadione


Chemical names and formulas:

[More](#)

formula	$C_{31}H_{46}O_2$
name	phytonadione
IUPAC name	3-methyl-2-[(E)-3,7,11,15-tetramethylhexadec-2-enyl]naphthalene-1,4-dione

Structure diagram:

[Show all atoms](#) | [Show bond information](#)



# DailyMed



[Download the FDA official PDF of this label](#)

Search By Drug Name or NDC Code:

**Vitamin K1 (phytonadione) Injection, Emulsion**  
[Hospira, Inc.]

RxNorm Names


[▶ Review RxNorm Normal Forms](#)

Category	DEA Schedule	Marketing Status
HUMAN PRESCRIPTION DRUG LABEL		

## DESCRIPTION


Phytonadione is a vitamin, which is a clear, yellow to amber, viscous, odorless or nearly odorless liquid. It is insoluble in water, soluble in chloroform and slightly soluble in ethanol. It has a molecular weight of 450.70.

Phytonadione is 2-methyl-3-phytyl-1, 4-naphthoquinone. Its empirical formula is  $C_{31}H_{46}O_2$  and its structural formula is:




CID: 5284607

CID: 9846607



Phylloquinone; phytonadione; 3-Phytylmenadione ...  
IUPAC: 2-methyl-3-[(E,7R,11R)-3,7,11,15-tetramethylhexadec-2-enyl]naphthalene-1,4-dione  
MW: 450.695740 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Tested in BioAssays: All: 104, Active: 1; BioActivity Ans  
Vitamins... [more](#)



Vitamin K 1; CID9846607  
IUPAC: 2-methyl-3-[(Z,7R,11R)-3,7,11,15-tetramethylhexadec-2-enyl]naphthalene-1,4-dione  
MW: 450.695740 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Vitamins... [more](#)

CID: 5280483

CID: 7048755




phytonadione; Phylloquinone; Phytomenadione ...  
IUPAC: 2-methyl-3-[(E)-3,7,11,15-tetramethylhexadec-2-yl]naphthalene-1,4-dione  
MW: 450.695740 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Tested in BioAssays: All: 118, Active: 0; BioActivity Ans  
Vitamins... [more](#)



Vitamin K 1; ZINC03831331; CID7048755  
IUPAC: 2-methyl-3-[(E,7S,11R)-3,7,11,15-tetramethylhexadec-2-enyl]naphthalene-1,4-dione  
MW: 450.695740 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Vitamins... [more](#)

CID: 4812

CID: 7048754



phytonadione; Phylloquinone; Phytomenadione ...  
IUPAC: 2-methyl-3-[(3,7,11,15-tetramethylhexadec-2-enyl]naphthalene-1,4-dione  
MW: 450.695740 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Vitamins... [more](#)



Vitamin K 1; ZINC03831330; CID7048754  
IUPAC: 2-methyl-3-[(E,7R,11S)-3,7,11,15-tetramethylhexadec-2-enyl]naphthalene-1,4-dione  
MW: 450.695740 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Vitamins... [more](#)

CID: 10863350

CID: 7048753



Vitamin K 1; CID10863350  
IUPAC: 2-methyl-3-[(E)-3,7,11,15-tetramethylhexadec-2-yl]naphthalene-1,4-dione  
MW: 452.695500 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Vitamins... [more](#)




Vitamin K 1; ZINC03831329; CID7048753  
IUPAC: 2-methyl-3-[(E,7S,11S)-3,7,11,15-tetramethylhexadec-2-enyl]naphthalene-1,4-dione  
MW: 450.695740 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Vitamins... [more](#)

CID: 10961411

CID: 5315258



Vitamin K 1; CID10961411  
IUPAC: 2-methyl-3-[(E)-3,7,11,15-tetramethylhexadec-2-yl]naphthalene-1,4-dione  
MW: 452.695500 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Vitamins... [more](#)



Vitamin K 1; CID5315258  
IUPAC: 2-methyl-3-[(E,11S)-3,7,11,15-tetramethylhexadec-2-enyl]naphthalene-1,4-dione  
MW: 450.695740 g/mol | MF: C<sub>31</sub>H<sub>46</sub>O<sub>2</sub>  
Vitamins... [more](#)

# People Use Trusted Resources...

## ABOUT THIS AUTHOR



Derek Lowe, an Arkansan by birth, got his BA from Hendrix College and his PhD in organic chemistry from Duke before spending time in Germany on a Humboldt Fellowship on his post-doc. He's worked for several major pharmaceutical companies since 1989 on drug discovery projects against schizophrenia, Alzheimer's, diabetes, osteoporosis and other diseases. To contact Derek email him directly: [derekb.lowe@gmail.com](mailto:derekb.lowe@gmail.com)  
Twitter: [DerekLowe](#)

Search Amazon:



**In the Pipeline:** Don't miss Derek Lowe's excellent commentary on drug discovery

## In the Pipeline


[« Arsenic Life No More](#) | [Main](#) | [Targacep](#)

October 8, 2012

### Nasty Drug Molecules: Amphotericin B

Posted by **Derek**

You've probably seen the headlines about fungal meningitis showing up, can supplies. As soon as I heard these stories, I wondered what you treat this c [B](#), most likely". And so it appears.



# Just Yesterday...

## 6. Dave on October 8, 2012 9:25 AM writes...


I'd just point out that the structure from Wikipedia is a little deceptive as the stereobond at the anomeric carbon of the mannose is very ambiguous (due to the way that the wedge is used). The structure should have a beta-D-mannopyranose (see <http://www.chemspider.com/Chemical-Structure.10237579>, for a clearer depiction).

# How will it improve?











Participation  
and  
contribution



# ALL Different, ALL “Domoic Acids”



# ALL Different, ALL “Domoic Acids”






# The EXPERTS must get it right?!

## Domoic Acid Poisoning

Domoic acid has been responsible for several deaths and both permanent and transitory illness in over a hundred people. The toxin is produced by marine diatoms which are members of the genus *Pseudo-nitzschia*. Both shellfish and fish can accumulate this toxin without apparent ill effects; however, in humans the toxin crosses into the brain and interferes with nerve signal transmission. People poisoned with very high doses of the toxin can die, while lower doses can cause permanent brain damage (short term memory loss). When this toxin was discovered in certain West coast fish and shellfish, both recreational and commercial fisheries were briefly closed. This closure, though relatively short, had serious economic impacts on those communities dependent on these fisheries.

### Harmful effects of Domoic Acid

The first reported outbreak of domoic acid poisoning occurred in 1987 when shellfish from Prince Edward Island Canada were consumed. In that outbreak, 3 people died and over 100 people developed various toxic symptoms. Domoic acid was found to be produced by the diatom *Pseudo-nitzschia multiseries*. The most unusual, and most serious toxic symptom, was a loss of short term memory--hence the initial designation of the syndrome in humans as amnesiac shellfish poisoning (ASP). However, since the toxin has been found in fin-fish and the chemical structure of the toxin is now known, a more accurate term is Domoic Acid Poisoning. In 1991, along the beaches of Monterey Bay, CA, dead and dying seabirds



## HABs & Biotoxins



OVERVIEW



PHYTOPLANKTON



MARINE BIOTOXINS

- Detection & Analyses
- Domoic Acid Poisoning
- Paralytic Shellfish Poisoning
- Diarrhetic Shellfish Poisoning



WEST COAST HABs

# Question Everything Online: www.dhmo.org

## Dihydrogen Monoxide - DHMO Homepage

Translations ▾



United States  
Environmental  
Assessment  
Center

# DHMO.org

Dihydrogen Monoxide  
Research Division



### DHMO Special Reports

- [Dihydrogen Monoxide FAQ](#)
- [Enviro Impact of DHMO](#)
- [DHMO and Cancer](#)
- [DHMO Research](#)
- [DHMO in the Dairy Industry](#)
- [MSDS for DHMO](#)
- [DHMO Conspiracy](#)
- [Editorial: Truth about DHMO](#)
- [Fake Email SPAM Alert](#)
- [Linking to DHMO.org](#)
- [What is Dihydrogen Monoxide?](#)

### Press Kit - **press only**

Username: **press**

Password: **press**

### WELCOME

Welcome to the web site for the Dihydrogen Monoxide Research Division (DMRD), currently located in Newark, Delaware. The controversy surrounding dihydrogen monoxide has never been more widely debated, and the goal of this site is to provide an unbiased data clearinghouse and a forum for public discussion.

Explore our many [Special Reports](#), including the [DHMO FAQ](#), a definitive primer on the subject, plus reports on the [environment](#), [cancer](#), current [research](#), and an insider exposé

### DHMO Related Info:

- [National Consumer Coalition Against DHMO](#)
- [Environmental Protection Agency](#)
- [NIH National Toxicology Program](#)
- [Centers for Disease Control & Prevention](#)
- [National Cancer Institute](#)
- [Green Party, New Zealand](#)
- [Sandia National Laboratories](#)
- [Sierra Club](#)
- [Greenpeace](#)

**Send Email to Your Representative**

# Deposition, Annotation and Validation

- \* **ANYBODY** can annotate a record on ChemSpider
- \* Registered users can deposit new data
- \* Registered users can validate existing data

# CURATION Search “Vitamin H”






2 hits found in 0.16 seconds.

Search terms: vitamin H

⚠ Found by synonym

Grid  Tile  Table  Record  ChemRefer  Entrez  PubChem

ID	Structure	Empirical Formula	Molecular Weight	# of Data Sources	# of References
149962 		C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S	244.3106	55	256
5408838		C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S	244.3106	3	3

# “Curate” Identifiers

## Names and Synonyms

Select all Deselect all Invert selection Update Add

Validated by Experts, Validated by Users, Non-Validated, Removed by Users, Redirected by Users, Redirect Approved by Experts

<input type="checkbox"/>	1H-thieno[3,4-d]imidazole-4-pentanoic acid, hexahydro-2-oxo-, (3aR,4S,6aR)-	Edit	Antony Williams Antony Williams
<input type="checkbox"/>	5-[(3aR,4S,6aR)-2-Oxohexahydro-1H-thieno[3,4-d]imidazol-4-yl]pentanoic acid	Edit	Antony Williams Antony Williams
<input type="checkbox"/>	58-85-5[RN]	Edit	Antony Williams
<input checked="" type="checkbox"/>	D(+)-Biotin >99.5%	Edit	Antony Williams
<input checked="" type="checkbox"/>	VITAMIN H	Edit	Antony Williams

Save Cancel

Change Synonym(s) States

Change State To

- Reject
- Deleted (approved as wrong)
- Rejected
- Normal
- Normal
- Confirm
- Confirmed
- Approve
- Approved
- Common Name
- Redirect
- Redirected
- Redirect Approved

Cancel

# “Curate” Identifiers

Validated by Experts, Validated by Users, Non-Validated

1H-thieno[3,4-d]imidazole-4-pentanoic acid,

5-[(3aR,4S,6aR)-2-Oxohexahydro-1H-thieno[

58-85-5[RN]

D(+)-Biotin >99.5%

VITAMIN H

# ChemSpider Web Services

- **AsyncSimpleSearch**  
Search by Name, SMILES, InChI, InChIKey, etc. Returns transaction ID which can be used to access search status and result. Security token is required.
- **CSID2ExtRefs**  
Return a list of external references (data sources). Security token with Service Subscriber role is required.
- **GetAsyncSearchResult**  
Returns the list of CSIDs found by AsyncSearch operation. Security token is required.
- **GetAsyncSearchResultPart**  
Return a slice of the list of CSIDs found by AsyncSearch operation. Returns full list if start = 0 and count = -1. If (start + count) > (# of results) all results starting at start position are returned. Security token is required.
- **GetAsyncSearchStatus**  
Query asynchronous operation status. Requires transaction ID returned by AsyncSearch operation. Security token is required.
- **GetCompoundInfo**  
Get record details (CSID, InChIKey, InChI, SMILES) by CSID. Security token is required.

# Open APIs for Science

- \* ChemSpider via web service access
  - \* For structure identification for mass spectrometry
  - \* For name and structure resolution
  - \* For structure and substructure searching
  - \* For an “innovative medicines initiative” semantic web project...





## Open PHACTS Project

- \* Develop a set of robust standards
- \* Integrate Chemistry and Biology data by implementing the standards in a *semantic integration hub*
- \* Deliver services to support drug discovery programs in pharma and public domain
- \* **INITIALLY** 22 partners, 8 pharmaceutical companies, 3 biotechs
- \* 36 months project – first public release version is imminent

Guiding principle is open access, open usage, open source  
- Key to standards adoption -

# RDF and the semantic web

- \* Using RDF permalinks
- \* <http://www.chemspider.com/Chemical-Structure.7787.rdf>
  
- \* Using a Search Term
- \* <http://www.chemspider.com/rdf.ashx?q=cyclohexane>
- \* <http://rdf.chemspider.com/cyclohexane>


# RDF and the semantic web

```
- <rdf:RDF xml:base="http://www.chemspider.com/Chemical-Structure.5758.rdf">
  - <rdf:Description rdf:about="http://www.chemspider.com/">
    <rdfs:label>ChemSpider</rdfs:label>
    <rdfs:seeAlso rdf:resource="http://www.rsc.org/" />
  </rdf:Description>
  - <rdf:Description rdf:about="http://www.chemspider.com/Chemical-Structure.5758.html">
    <dc:format>text/html</dc:format>
    <dc:rights rdf:resource="http://www.chemspider.com/Disclaimer.aspx" />
    <dcterms:creator rdf:resource="http://www.chemspider.com/" />
    <dcterms:modified rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">2012-10-02</dcterms:modified>
    <ore:aggregatedBy rdf:resource="#Aggregation" />
    <rdf:type rdf:resource="http://xmlns.com/foaf/0.1/Document" />
  </rdf:Description>
  - <rdf:Description rdf:about="">
    <dc:format>application/rdf+xml</dc:format>
    <dc:rights rdf:resource="http://www.chemspider.com/Disclaimer.aspx" />
    <dcterms:creator rdf:resource="http://www.chemspider.com/" />
    <dcterms:modified rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">2012-10-02</dcterms:modified>
    <ore:aggregatedBy rdf:resource="#Aggregation" />
    <rdf:type rdf:resource="http://xmlns.com/foaf/0.1/Document" />
    <foaf:primaryTopic rdf:resource="#Compound" />
    <foaf:primaryTopic rdf:resource="#ResourceMap" />
  </rdf:Description>
```

# www.SpectralGame.com

<http://www.jcheminf.com/content/1/1/9>

## SPECTRALGAME



# The World of Contribution

- \* Times have changed
  - \* Immediacy of social networks
  - \* Commenting on articles/data is here
  - \* The “participating scientist” has high profile
  - \* And who can be a scientist now???

# A Ten Year Old Scientist



## Computational and Theoretical Chemistry

Volume 979, 1 January 2012, Pages 33–37



### A computational study of novel nitratoxycarbon, nitritocarbonyl, and nitrate compounds and their potential as high energy materials

Robert W. Zoellner<sup>a</sup>,  , Clara L. Lazen<sup>b</sup>, Kenneth M. Boehr<sup>b</sup>

<sup>a</sup> Department of Chemistry, Humboldt State University, One Harpst Street, Arcata, CA 95521-8299, USA

<sup>b</sup> Border Star Montessori School, 6321 Wornall Road, Kansas City, MO 64113-1792, USA



*'A 13-year-old American student named Aristides Poehlman, known as 'Cheese' online, is ranked in Foldit's Top Ten protein folders and has become a celebrity in his own right'*

## Gamers Unravel the Secret Life of Protein

By John Bohannon  04.20.09




A model of a protein from *Streptomyces avermitilis*, a source of antibiotics.  
*Origami/photo: Robert J. Lang / Talia Chetrit*

# Challenging a Publication

## Using Neural Networks for $^{13}\text{C}$ NMR Chemical Shift Prediction—Comparison with Traditional Methods

Received January 29, 2002; revised June 10, 2002





ID	Exp.	(new)	(old)	DRAWPRO	SPECTOOL	SPECINFO	NMR 1.3	CNMR 6.0	4.5	98
1	167.0	166.1	167.2	167.9	167.6	166.8	167.6	166.6	157.7	190.6
3	138.0	136.0	133.9	133.5	133.5	133.2	134.2	136.3	121.7	135.7
4	127.0	127.8	127.4	127.3	127.3	127.6	127.7	127.2	126.8	133.6
5	129.0	128.6	129.0	128.6	128.6	128.1	128.4	128.1	130.8	124.5
6	128.3	131.9	132.3	131.9	131.9	131.6	132.0	131.7	129.6	132.9
7	129.0	128.6	129.0	128.6	128.6	128.1	128.4	128.1	131.3	125.6
8	127.0	127.8	127.4	127.3	127.3	127.6	127.7	127.2	128.1	133.6
10	55.0	55.0	59.9	52.4	51.6	54.6	54.9	55.8	54.6	59.1
11	133.6	136.7	138.1	142.4	138.8	136.7	140.7	136.1	135.8	138.7
12	127.0	126.8	128.0	127.1	128.3	127.2	126.9	128.3	128.0	130.1
13	128.7	128.3	130.0	128.3	128.6	128.6	128.4	129.2	130.1	127.8
14	131.9	127.9	127.7	126.5	125.8	127.7	127.4	126.2	130.6	128.2
15	128.7	128.3	130.0	128.3	128.6	128.6	128.4	129.2	129.4	127.6
16	127.0	126.8	128.0	127.1	128.3	127.2	126.9	128.3	129.9	130.7
17	73.2	73.3	70.8	85.2	85.2	72.9	74.0	74.0	75.4	76.0
19	172.7	171.4	171.7	172.0	172.0	172.8	172.1	172.3	163.8	178.6
22	72.3	71.5	70.8	71.1	73.1	72.0	75.8	64.3	70.5	69.2
23	142.0	140.6	130.4	132.9	132.2	139.4	134.0	132.8	142.3	137.0
24	35.7	33.9	33.2	34.9	34.9	35.8	41.1	36.3	35.8	38.6
25	79.0	79.3	82.6	81.3	81.3	78.7	79.7	77.4	77.4	73.1
26	43.2	43.7	44.3	33.4	35.4	42.8	41.5	44.8	47.2	41.0
27	133.2	133.2	131.0	138.5	141.6	134.6	137.1	142.7	118.7	133.8

# Oops...

22	72.3	◦	71.5	◦	70.8	◦	71.1	◦	73.1	•	72.0	○	75.8	○	64.3
23	142.0	◦	140.6	○	130.4	○	132.9	○	132.2	○	139.4	○	134.0	○	132.8
24	35.7	◦	33.9	◦	33.2	◦	34.9	◦	34.9	•	35.8	○	41.1	◦	36.3
25	79.0	•	79.3	○	82.6	◦	81.3	◦	81.3	•	78.7	◦	79.7	◦	77.4
26	43.2	◦	43.7	◦	44.3	○	33.4	○	35.4	•	42.8	◦	41.5	◦	44.8
27	133.2	◦	133.2	◦	131.0	○	138.5	○	141.6	◦	134.6	○	137.1	○	142.7

>2 Years to Resolution



## Journal of Magnetic Resonance

Volume 157, Issue 2, August 2002, Pages 242–252

## Journal of Magnetic Resonance

Volume 171, Issue 1, November 2004, Pages 1–3

# What of Hexacyclinol?



# The Blogosphere “Discusses”...

## [Structure Revision of \*\*Hexacyclinol\*\* / Total Synthesis pt. I](#)

[totallysynthetic.com/blog/?p=110](http://totallysynthetic.com/blog/?p=110) ▼

Additionally, one spectrum was duplicated and a copy of the spectra for natural 5-epi-**hexacyclinol** was not provided.” Intriguing stuff. So how closely to the data ...

## [Chemistry Blog » \*\*Hexacyclinol\*\* - Buy Viagra Online No Prescription](#)

[www.chemistry-blog.com/tag/hexacyclinol](http://www.chemistry-blog.com/tag/hexacyclinol) ▼

Some stories never seem to end. The **hexacyclinol** story is one of them. Is it over now? I assume most readers will be familiar with the controversy about the two ...

## [Hexacyclinol: A Forensic Case. In the Pipeline:](#)

[pipeline.corante.com/archives/2009/02/19/hexacyclinol\\_a\\_forensic...](http://pipeline.corante.com/archives/2009/02/19/hexacyclinol_a_forensic...) ▼

About this Author Derek Lowe, an Arkansan by birth, got his BA from Hendrix College and his PhD in organic chemistry from Duke before spending time in Germany on a ...

## [Hexacyclinol? Or Not?. In the Pipeline:](#)

[pipeline.corante.com/archives/2006/06/05/hexacyclinol\\_or\\_not.php](http://pipeline.corante.com/archives/2006/06/05/hexacyclinol_or_not.php) ▼

There's an interesting scandal brewing in synthetic organic chemistry - well, actually, more than one, but I haven't covered the Sames matter at all. This is a new ...

## [sanfrancisco 2006: \*\*Hexacyclinol\*\* Showdown: The Biggest ...](#)

[cenonline.blogs.com/sanfrancisco\\_2006/2006/09/hexacyclinol\\_sh.html](http://cenonline.blogs.com/sanfrancisco_2006/2006/09/hexacyclinol_sh.html) ▼

By Bethany Halford Like almost every other chemistry journalist and blogger at the ACS meeting, I spent Wednesday afternoon at the "Total Synthesis of Complex ...

# Oxidation by Sodium Hydride?

## Reductive and Transition-Metal-Free: Oxidation of Secondary Alcohols by Sodium Hydride

Xinbo Wang , Bo Zhang , and David Zhigang Wang \*

*J. Am. Chem. Soc.*, 2011, 133 (13), pp 5160-5160


DOI: 10.1021/ja904224y

Publication Date (Web): July 21, 2009

Copyright © 2009 American Chemical Society

Abstract

Supporting Info ->

 Full Text HTML

 Hi-Res PDF [605 KB]

 PDF w/ Links [607 KB]

This manuscript has been withdrawn for scientific reasons.

# The Blogosphere Analyzes...

friendfeed

Search

Advanced search  
Tools

Search: **nah jacs**



Save search - Share / embed search - Pop out



**Michael Nielsen**

TotallySynthetic.com » Blog Archive » **NaH** as an Oxidant - Liveblogging! -  
<http://totallysynthetic.com/blog...>

August 4 from delicious - Comment - Like - Share

Liveblogging a chemistry experiment to refute a paper: "an intriguing paper has been published in **JACS** by Xinbo Wang, Bo Zhang and David Zhigang Wang. In this, they suggest it is possible to oxidise benzylic alcohols to the corresponding ketones using sodium hydride (amongst other chemistry). Given that sodium hydride is, well, a hydride - this is quite something. Does it work? Hard to say without giving it a go, so I am." - Michael Nielsen



**Jiahao Chen**

**jacs** paper reports using **NaH** as an oxidant. wait, WHAT?! <http://pubs.acs.org/doi...>  
<http://www.thechemblog.com/...>

August 3 from Twitter - Comment - Like - Share

# The Blogosphere Analyzes...




## NaH as an Oxidant – Liveblogging!

+1 1

22 JULY 2009 135,162 VIEWS 211 COMMENTS




13.20 – Okay, I couldn't wait any longer, so I LCMSed the reaction mixture. This is what I got:





# How much is in the archives?



EDIT: Here's a paper from 1946 on how sodium hydride can reduce benzophenone in refluxing xylene, and also demonstrates that benzaldehyde can self-condense to form benzyl benzoate with catalytic NaH. Another, more relevant paper from a commenter on Tot. Syn.

## The Action of Sodium Hydride on Certain Carbonyl Compounds. Condensations<sup>1</sup> and Reductions

Frederic W. Swamer, Charles R. Hauser

*J. Am. Chem. Soc.*, 1946, 68 (12), pp 2647-2649


DOI: 10.1021/ja01216a067

Publication Date: December 1946

First Page

 Hi-Res PDF [394 KB]

# Open Notebook Science Analysis




WEDNESDAY, AUGUST 05, 2009

## Our attempt to reproduce an oxidation by NaH

Yesterday I was discussing with my students the controversy over the claim that NaH can act as an oxidant for secondary alcohols ([Wang, JACS09](#)). There has been a lot of discussion and an attempt to reproduce one of the experiments has appeared on [Totally Synthetic](#).


Khalid Mirza and Marshall Moritz thought it would be worthwhile to see if we can shed any light on the situation. I was also curious to see what the reaction did over time, before quenching.

We had [1-phenylethanol](#) on hand, for which the [Wang paper](#) claims a [75% conversion](#) (by GC) to [acetophenone](#). All the details can be found on the notebook page [UC243](#).



The reaction was monitored by taking aliquots of the solution then

## Researchers - Khalid Mirza & Marshall Moritz



## Objective

To convert DL- $\alpha$ -methylbenzyl alcohol to acetophenone using NaH, following a recently published [JACS protocol](#).

## Procedure


Sodium hydride is added to a stirred THF solution of  $\alpha$ -methylbenzyl alcohol at 0 C. After stirring for 12min the bath was removed and the mixture was allowed to warm to room temperature. Aliquots were removed over the course of the reaction, and NMRs were taken after adding benzene- $d_6$  without quenching.

The glassware set up:



# Motivation

## Faster Science, Better Science

























### Open Notebook Science

From Wikipedia, the free encyclopedia

**Open Notebook Science** is the practice of making the entire primary record of a research project publicly available online as it is recorded. This involves placing the personal, or laboratory, notebook of the researcher online along with all raw and processed data, and any associated material, as this material is generated. The

# Openness – Still Carries Licensing

	Can someone use it commercially?	Can someone create new versions of it?
Attribution 		
Share Alike  		Yup, AND they must license the new work under a Share Alike license.
No Derivatives  		
Non-Commercial  		Yup, AND the new work must be non-commercial, but it can be under any non-commercial license.
Non-Commercial Share Alike   		Yup, AND they must license the new work under a Non-Commercial Share Alike license.
Non-Commercial No Derivatives   		

\* Openness may be hard..

\* Open Access flavors

\* Open Source licenses

\* Open Data licenses

\* Open Notebook Science

# We Suggest Rules for Licensing Data

- \* License data based on GOALS: scientific, commercial, or mixed
- \* Explore the benefits of open licensing and drawbacks of enclosure
- \* Provide simple explanations terms of use
- \* If you can't make the data public domain, make the metadata **public domain**.

# We Suggest Rules for Licensing Data

PERSPECTIVE

OPEN  ACCESS

## Why Open Drug Discovery Needs Four Simple Rules for Licensing Data and Models

Article



Metrics

Related Content

Comments: 1

**Antony J. Williams<sup>1\*</sup>, John Wilbanks<sup>2</sup>, Sean Ekins<sup>3</sup>**

**1** Royal Society of Chemistry, Wake Forest, North Carolina, United States of America, **2** Consent to Research, Oakland, California, United States of America, **3** Collaborations in Chemistry, Fuquay-Varina, North Carolina, United States of America

 To **add a note**, highlight some text. [Hide notes](#)  
 [Make a general comment](#)

# Challenged in the Twittersphere



**Egon Willighagen** @egonwillighagen

1 Oct

@ChemConnector maybe the text was meant differently, but that is how it reads to me...

Expand



**Egon Willighagen** @egonwillighagen

1 Oct

@ChemConnector where can I download those public domain parts of @ChemSpider then? [ploscompbiol.org/article/info%3...](https://ploscompbiol.org/article/info%3...)

# Annotating Articles Today...

**Post Your Note (For Public Viewing)**

This is a note

Enter your note title...

Enter your note...

No, I don't have any competing interests to declare.


Yes, I have competing interests to declare (enter below):

Enter your competing interests...


Notes and Corrections can include the following markup tags:

**Emphasis:** *"italic"* **"bold"** ***"bold italic"***

**Other:** <sup>superscript</sup> <sub>subscript</sub>

 [Change public domain to "public"](#)


---

Posted by  [ChemConnector](#) on **01 Oct 2012** at **16:56 GMT**

---

The term public domain does carry explicit meaning regarding the licensing of the data. This has been picked up by one of the readers of the article. We request a change of public domain to "public", with the inverted commas included, to...

**No competing interests declared.**

 [View/respond to this](#)



# Attribution to me...

PERSPECTIVE

OPEN  ACCESS


## Why Open Drug Discovery Needs Four Simple Rules for Licensing Data and Models

Article

Metrics


Related Content

Comments: 1

 [Make a new comment on this article](#)

0 responses

 [Change public domain to "public"](#)

Posted by  [ChemConnector](#) on 01 Oct 2012 at 16:56 GMT

Most recent response on 01 Oct 2012 at 16:56 GMT

# Other Publications to Annotate...



**Cell Death & Differentiation**

Journal home > Archive > Letters to the Editor > Full text

<b>Journal home</b>	<b>Letter to the Editor</b>
<b>Advance online publication</b>	
<a href="#">About AOP</a>	
<b>Current issue</b>	<i>Cell Death and Differentiation</i> (2005) <b>12</b> , 410. doi:10.1038/sj.cdd.4401614

**Apoptotic gene therapy in the interdigital web**

# Other Publications to Annotate...



Re-creation of the interdigital web after WSD gene gun in a nonprofessional swimmer, now regional champion (Ohmy God Ih Swimfast). We thank Arena Italia spa thanks to Enzo Guida, Brand Manager Arena Italia spa; [www.arenaitalia.it](http://www.arenaitalia.it); the photo was made by LSD, Lowe Pirella Agency, and Umberto Casagrande, Art Direction and Creativity Director

 [Full figure and legend \(120K\)](#)

# Publications to Annotate...

“We then established a collaboration with professor Sum Ting Wong, a fugitive from the North Korean University Hu Yu Hai Ding”

“..identified as the new protein Wai So Dim”

# A New World for Publishing?




# An Adventure into the World of **Small** but significant contribution..

## 'Olympic rings' molecule olympicene striking image

By Jason Palmer

Science and technology reporter, BBC News



The technique showcases details well under a billionth of a metre in size

# ChemSpider SyntheticPages



**Building Community for Chemist**

[Home](#)[About](#)[Browse](#)[Leaderboard](#)[Login](#)

## About ChemSpider SyntheticPages

ChemSpider SyntheticPages is a freely available interactive database of synthetic chemistry. We publish practical and reliable organic, organometallic and inorganic chemical synthesis, reactions and procedures deposited by synthetic chemists. Synthetic methods on the site are updated continuously by chemists working in academic and industrial research laboratories.

ChemSpider SyntheticPages encourages submissions from graduate students, postdocs, industrialists and academics.

[Editorial board](#)

[Submit your SyntheticPage online](#)

*Note: submissions to ChemSpider SyntheticPages are currently disabled as the site is in read only mode.*

Publication Alert


Recent Publications


Most Popular

### [Nickel chloride catalyzed Biginelli reactions](#)

Sirin Gülten

**Published:** Sep 22 2009

 [Thumbnails](#)


 [Structures](#)


 [Full Text](#)

### [One-pot synthesis of terpyridine derivatives](#)

Jérôme Husson

**Published:** Jul 15 2009

 [Thumbnails](#)

 [Structures](#)

 [Full Text](#)

# Micropublishing with Peer Review (a chemical synthesis blog?)

## Dehydration of 3,4-dihydro-5H-Benzo[cd]pyren-5-ol; 6H-Benzo[cd]pyrene


SyntheticPage 542

DOI: [10.1039/SP542](https://doi.org/10.1039/SP542)

Submitted Mar 15, 2012, published May 31, 2012

Anish Mistry ([a.mistry@warwick.ac.uk](mailto:a.mistry@warwick.ac.uk))

A contribution from Fox Group, Warwick University



### Chemicals Used

3,4-dihydro-5H-benzo[cd]pyren-5-ol (prepared)

Amberlyst 15 (Sigma-Aldrich)

Chloroform

### Procedure

3,4-dihydro-5H-benzo[cd]pyren-5-ol (0.1 g, 0.39 mmol) was dissolved in chloroform (30 ml) and Amberlyst 15 (0.1 g) added under a dinitrogen atmosphere. The reaction was heated to 30°C and left overnight under the inert atmosphere. The solution was then filtered to separate the Amberlyst and washed with chloroform. The combined solvents were removed under vacuum using a Rotary evaporator. The crude product was column chromatographed under a dinitrogen atmosphere eluting with 1:1 chloroform:petroleum ether 40-60°C. A white solid was obtained using this method (50 mg, 54%).



# Multi-Step Synthesis

## Dehydration of 3,4-dihydro-5H-Benzo[cd]pyren-5-ol

Anish Mistry


**Published:** May 31 2012



## Reduction of 3,4-dihydro-5H-benzo[cd]pyren-5-one.

Anish Mistry


**Published:** Mar 12 2012



## Chlorination of a carboxylic acid

Anish Mistry


**Published:** Nov 27 2011



## Hydrolysis of Ethyl 3-(1-pyrenyl)propanoate

Anish Mistry


**Published:** Oct 11 2011



## Hydrogenation of Ethyl 3-(1-pyrenyl)acrylate

Anish Mistry


**Published:** Oct 06 2011



## Wittig Reaction

Anish Mistry

**Published:** Sep 14 2011




# Interactive Data

## Supplementary Information

Proton NMR shows the symmetric dihydrogen species as the major product, the small peaks which can be observed in the spectrum (around 2, 3.5 ppm and aromatic region) are presumably other isomers of the compound.

[1H NMR spectrum of Olympicene - Click to view](#)



[1H NMR \(Jan11-2012.dx\)](#)

This page has been viewed approximately 1125 times since records began.

[Get structure file \(.cdx, .sk2, .mol\)](#)

# A New Route for Scientific Recognition?



# The Measure of a Scientist?

- \* How do “we” measure a scientist?
- \* The funding bodies, department heads etc. use
  - \* Publication profile
  - \* Impact factors
  - \* An index – h, m, g, i10, c, s ...
  - \* Grants brought in
- \* Scientists are notable in different ways – technology can help measure different types of “impact”

# What makes a Scientist Notable?

## The Signpost

---

### IN THE NEWS

The closed, unfriendly world of Wikipedia, fundraiser fun and games, and chemists vs pornstars

# Public Profiles of Scientists

- \* Online tools track activities of scientists
- \* Some are totally opt-in, an increasing number are *about* you and need checking!
- \* Take responsibility for your profile online
- \* Actively BUILD your online profile



# Microsoft Academic Search



antony J. williams

All Domains



Explore 38,847,697 publications and 19,012,369 authors, 152,211 updated last week.


[Advanced Search](#)

## Visualization Features



### Academic Map

Navigate geographically through organizations and authors in a specified domain.



### CFP Calendar

Search for conferences you may be interested in by domain, time and location.



### Domain Trend

Visualize the research trends in computer science through an interactive stacked area chart.



### Organization Comparison

Juxtapose two organizations and compare their citation counts, keywords, top authors and more.




### Co-author Graph

Display which researchers have the most collaboration with a particular author.



### Co-author Path

Display how two researchers are connected via their co-authors.



### Genealogy Graph

Display the advisor and advisee relationships of a particular researcher.



### Paper Citation Graph

Discover which publications have cited a particular publication.

# My Academic Search Profile

Academic > Authors > Antony J. Williams

Embed Subscribe



**Antony J. Williams** Royal Society of Chemistry


Edit

Publications: 154 | Citations: 445 | G-Index: 14 | H-Index: 11

Interests: Computational Chemistry, Applied Chemistry, Pharmacology

Collaborated with 244 co-authors from 1974 to 2011; Cited by 925 authors

Homepage | Bing



Publications (154) Export

Order by: Year

[A quality alert and call for improved curation of public chemistry databases](#) (Citations: 1)

Antony J. Williams, Sean Ekins

Journal: Drug Discovery Today - DRUG DISCOV TODAY, vol. 16, no. 17, pp. 747-750, 2011

[In silico repositioning of approved drugs for rare and neglected diseases](#) (Citations: 1)

Sean Ekins, Antony J. Williams, Matthew D. Krasowski, Joel S. Freundlich

Journal: Drug Discovery Today - DRUG DISCOV TODAY, vol. 16, no. 7, pp. 298-310, 2011




# My Co-author Graph

Co-author Graph

Co-author Path

Citation Graph

Genealogy Graph



# Q: How Often Do You Contribute? Annotation and Validation

- \* How many times do you see errors where:
  - \* 1) You have **not** been able to annotate or curate
  - \* 2) You have **chosen** not to annotate or curate


# My Co-author Graph

Co-author Graph

Co-author Path

Citation Graph

Genealogy Graph



# Contribute when you can!



**Rajarshi Guha**

National Institutes of Health, United States

Publications: 65 | Citations: 495 | G-Index: 21 | H-Index: 11

Interests: Computational Chemistry, Applied Chemistry, Polymer Chemistry

 [Homepage](#)

# Contribute when you can!



**Rajarshi Guha**

National Institutes of Health, United States

Publications: 65 | Citations: 495 | G-Index: 21 | H-Index: 12

Interests: Computational Chemistry, Applied Chemistry, Polymer Chemistry

[Homepage](#)



* First Name	<input type="text" value="Rajarshi"/>
Middle Name	<input type="text"/>
* Last Name	<input type="text" value="Guha"/>
Native Name	<input type="text"/>
	<i>e.g. Your name in your native language.</i>
Homepage URL	<input type="text" value="http://www.ncgc.nih.gov/about/guhar.html"/>
	<i>e.g. http://www.cs.princeton.edu/~yao/</i>
Photo URL	<input type="text" value="http://ncgcweb.nhgri.nih.gov/images/staff_guhar.png"/>
	<i>e.g. http://www.cs.cityu.edu.hk/~fyao/FrancesYao.jpg</i>



[Change photo](#)

# Antony John Williams [Edit](#)

Vice President of Strategic Development, Royal Society of Chemistry [Edit](#)

[Chemistry](#) - [Cheminformatics](#) - [Nuclear Magnetic Resonance](#) - [Drug Discovery](#) [Edit](#)

Verified email at rsc.org [Edit](#)

My profile is public [Edit](#) [Link](#) [Homepage](#) [Edit](#)

## Citation indices

	All	Since 2007
Citations	1802	1288
h-index	24	19
i10-index	66	52

## Citations to my articles




Select: [All](#), [None](#) [Actions](#) ▼

Show:  ▼ [1-20](#) [Next >](#)

Title / Author	Cited by	Year
<input type="checkbox"/> <a href="#">The use of NMR to study sodium dodecyl sulfate-gelatin interactions</a> DD Miller, W Lenhart, BJ Antalek, AJ Williams, JM Hewitt Langmuir 10 (1), 68-71	56	1994
<input type="checkbox"/> <a href="#">X-Ray Crystallographic, Single-Crystal EPR, and Theoretical Study of Metal-Centred Radicals of the Type [5C5R5Cr(CO)2L] (R = H, Me; L = CO, tertiary phosphine)</a> S Fortier, MC Baird, KF Preston, JR Morton, T Ziegler, TC Jaeger, WC Watkins ... Journal of American Chemical Society 113 (2), 542-551	52 *	1991
<input type="checkbox"/> <a href="#">Internet-based tools for communication and collaboration in chemistry</a> AJ Williams Drug discovery today 13 (11), 502-506	49	2008

# Scientists and Orcids?



The logo for ORCID, featuring the word "ORCID" in a bold, blue, sans-serif font. The text is contained within a white circle that is partially overlapped by a larger, light blue circle to its right. The entire logo is set against a white rectangular background.

ORCID

Open Research  
& Contributor ID

- \* A unique identifier for a scientist – a Scientists InChI !
- \* Will enable aggregation of a scientists activities
- \* ORCID's associated with publications, data, blog comments, other contributions (Wikipedia, reviews etc.) will be a way to measure their **impact**



# The Alt-Metrics Manifesto

\* <http://altmetrics.org/manifesto/>

## Impact



**usage**

downloads  
views



**peer-review**

expert opinion



**citations**



**alt-metrics**

storage  
links  
bookmarks  
conversations



# ImpactStory



**ImpactStory.**

create about follow

**BETA**  
Send us your  
feedback!

## Tell the full story of your research impact.

ImpactStory aggregates [altmetrics](#): diverse impacts from your articles, datasets, blog posts, and more.

[Make my impact report](#)

or, show me a  
sample report

214 items (expand all)

update

json

csv

Tweet 0

of a Host-Microbe Model

highly saved

highly discussed

highly saved

el: A Streamlined Genome

highly recommended

highly cited

viewed

viewed

ntext of a Host-Microbe

highly saved

highly discussed

viewed

viewed

x volcanii

highly saved

viewed

viewed

# ImpactStory

## article

### **The Spectral Game: leveraging Open Data and crowdsourcing for education**

(2009) Bradley, Lancashire, Lang et al. *J Cheminf*

highly saved highly discussed highly cited  
cited

### **When pharmaceutical companies publish large datasets: an abundance of riches or fool's gold?**

(2010) Ekins, Williams *Drug Discovery Today*

highly saved highly cited cited

### **Reaching Out to Collaborators: Crowdsourcing for Pharmaceutical Research**

(2010) Ekins, Williams *Pharm Res*

highly saved highly cited discussed

### **Fuzzy Structure Generation: A New Efficient Tool for Computer-Aided Structure Elucidation (CASE)**

(2007) Elyashberg, Blinov, Molodtsov et al. *J. Chem. Inf. Model.*

highly saved highly cited cited

### **Computer-assisted structure verification and elucidation tools in NMR-based structure elucidation**

(2008) Elyashberg, Williams, Martin *Progress in Nuclear Magnetic Resonance Spectroscopy*

highly cited highly cited saved

### **Performance Validation of Neural Network Based**

(2008) Blinov, Smurnyy, Elyashberg et al. *J. Chem. Inf. Model.*

highly saved highly cited cited

### **Precompetitive preclinical ADME/Tox data: set it free on the web to facilitate computational model building and assist drug development**

(2010) Ekins, Williams *Lab Chip*

highly saved highly cited cited

### **Quindolinocryptotackieine: the elucidation of a novel indoloquinoline alkaloid structure through the use of computer-assisted structure elucidation and 2D NMR**

(2003) Blinov, Elyashberg, Martirosian et al. *Magn. Reson. Chem.*

highly saved highly cited cited

### **Analysis and elimination of artifacts in indirect covariance NMR spectra via unsymmetrical processing**

highly saved highly cited cited

# SlideShare



## Serving up and consuming community content for chemists using wikis

1 month ago, 31 slides, 1421 views, 4 downloads

[Edit settings](#) [Re-upload](#) [Add audio](#) [Add video](#)



## Feeding and consuming data to support open notebook science via the chem s

1 month ago, 44 slides, 726 views, 1 download

[Edit settings](#) [Re-upload](#) [Add audio](#) [Add video](#)



## Mining public domain data as a basis for drug repurposing

1 month ago, 41 slides, 2574 views, 12 downloads

[Edit settings](#) [Re-upload](#) [Add audio](#) [Add video](#)



## Putting chemistry into the hands of students – chemistry made mobile using...

1 month ago, 40 slides, 1321 views, 7 downloads

[Edit settings](#) [Re-upload](#) [Add audio](#) [Add video](#)

# SlideShare via ImpactStory

## slides

**Crowdsourcing, Collaborations and Text-Mining in a \*World of Open Chemistry** 

Slideshare

[viewed](#) [discussed](#) [saved](#) [recommended](#)

**How Internet Resources Are Providing a Collaborative Community for Chemistry** 

Slideshare

[viewed](#) [discussed](#) [saved](#) [recommended](#)

**A new, automated retrosynthetic search engine: ARChem** 

Slideshare

[viewed](#) [discussed](#) [saved](#) [recommended](#)

**Crowdsourcing Chemistry for the Community – 5 Years of Experiences** 


Slideshare

[viewed](#) [discussed](#) [saved](#) [recommended](#)

**Social Networking Tools for Novices** 

Slideshare

[viewed](#) [discussed](#) [saved](#) [recommended](#)

**Mobile chemistry and "Generation App"** 


Slideshare

[viewed](#) [discussed](#) [saved](#) [recommended](#)

**Building an integrated system for chemistry markup and online publishing integrated to online chemistry resources** 

Slideshare

[viewed](#) [discussed](#) [recommended](#)

**Crawling Across the Web of Chemistry Using ChemSpider** 

Slideshare

[viewed](#) [discussed](#) [recommended](#)

**ChemSpider - Building a Foundation for the Semantic Web by Hosting a Crowd Sourced Databasing Platform for Chemistry** 

Slideshare

[viewed](#) [discussed](#) [recommended](#)

# ImpactStory

## Analysis and elimination of artifacts in indirect covariance NMR spectra via unsymmetrical processing

(2005) Blinov, Larin, Kvasha et al. *Magn. Reson. Chem.*

### saved by scholars



### cited by public



### cited by scholars



# Where do I contribute? How might I be measured?



WORDPRESS.COM



# Article Level Metrics

PERSPECTIVE

OPEN  ACCESS

## Why Open Drug Discovery Needs Four Simple Rules for Licensing Data and Models

Article



Metrics

Related Content

Comments: 1

**Antony J. Williams<sup>1\*</sup>, John Wilbanks<sup>2</sup>, Sean Ekins<sup>3</sup>**

**1** Royal Society of Chemistry, Wake Forest, North Carolina, United States of America, **2** Consent to Research, Oakland, California, United States of America, **3** Collaborations in Chemistry, Fuquay-Varina, North Carolina, United States of America

 To **add a note**, highlight some text. [Hide notes](#)  
 [Make a general comment](#)



# Article Level Metrics

PERSPECTIVE

OPEN  ACCESS

## Why Open Drug Discovery Needs Four Simple Rules for Licensing Data and Models

Article


Metrics

Related Content

Comments: 1

### Article Usage

Total Article Views		HTML Page Views	PDF Downloads	XML Downloads	Totals
<b>1,816</b> Sep 27, 2012 (publication date) through Oct 6, 2012*	PLoS	1,667	132	17	1,816
	PMC	0	0	n.a.	0
	Totals	1,667	132	17	1,816



# New Measures of Impact

- \* Impact will be an aggregate measure of
  - \* Publications – classic measures and article level metrics
  - \* Data, algorithms and code – and its distribution and reuse
  - \* Contributions as comments, annotation and curation activities
- \* New “impact factors” will develop with time

**4.61**

RG Score

A new way to measure scientific reputation.

The RG Score takes *all* your research and turns it into a source of reputation.



# The Challenges

- \* Some challenges are technology based
  - \* The growth in data – storage and compute speed
  - \* Ontologies, dictionaries and trusted sources
- \* Many challenges are “about us”
  - \* Licenses and rights
  - \* Rewards and recognition
  - \* Participation, contribution and **collaboration**

# Tear Down Walls between Government Labs

- \* There are many government institutions building public compound databases that should collaborate more:
  - \* National Cancer Institute (NCI)
  - \* National Institutes of Health (NIH)
  - \* Environmental Protection Agency (EPA)
  - \* Food and Drug Administration (FDA)
  - \* National Library of Medicine (NLM)



## Discovering New Therapeutic Uses for Existing Molecules


Discovering New Therapeutic Uses for Existing Molecules is a collaborative [pilot program](#) designed to develop partnerships between pharmaceutical companies and the biomedical research community to advance [therapeutic development](#).

Collectively, these companies have agreed to make 58 of these compounds available for the pilot program. The compounds have undergone significant research and development by industry, including safety testing in humans, providing a strong starting point for scientists and permitting the process to move more rapidly.


# Release STRUCTURES Please!

Code Number & Link to More Information	Mechanism of Action	Original Development Indication(s)
<a href="#">AVE5530</a> canosimibe	Acyl-coenzyme A:cholesterol O-acyltransferase (ACAT) inhibitor  Cholesterol absorption inhibitor	Hypercholesterolemia
<a href="#">SSR149744C</a> celivarone	Anti-arrhythmic, Vaughan Williams Class I to IV	Maintenance of sinus rhythm in atrial fibrillation patients  Prevention of shocks and major clinical outcomes in patients with implanted cardiac defibrillator
<a href="#">PF-05416266</a> senicapoc (ICA-17043)	Calcium-activated potassium channel blocker (KCa3.1), intermediate-conductance	Sickle cell disease  Asthma
<a href="#">ABT-639</a>	Calcium channel, voltage-gated (Cav3.2, T-type) blocker	Pain

# What Does the Future Hold?



# The Linked Network Will Grow






# The Data Deluge Will Not Go Away

## SAR example

Created on NCI Data Set, table shows 5 selected structures.




Molecular Weight	xlogp < 4	xlogp >= 4
very small	12	0
small	44	2
medium	66	2
large	24	35
very large	8	5

NSC	Molecule	xLogP	Mol. Weight
89		2.09	213.09
171		1.69	123.03
185			
186			
291			



## Regulatory Limits



## a. Metolachlor and metolachlor ESA



## b. Alachlor and al



# RSC Activities in Development

- \* Deliver a Global Chemistry Hub
- \* “Data enable” the RSC archive back to 1841:
  - \* Extract chemistry – chemicals, reactions, experimental data points, complex data
  - \* Enrich the articles for interactive viewing and crowdsourced annotation and curation
  - \* Enhance queries possible across the archive

# Federated Data Segregation

ChemSpider  
(Aggregator)

PhysChem  
Databases

ADME-Tox  
Databases

Spectroscopy  
And  
Crystallography  
Databases

Chemical  
Reactions

Health and  
Safety


Predictions  
and Models

My  
Personal  
Data

My  
Institutional  
Data

User Profile

# Future System Architecture




# Data Validation is Exacting Work

name	mp °C	source	SMILES
4-methyldiphenylmethane	5.00	American Petroleum Institute	Cc2ccc(Cc1ccccc1)cc2
benzene, 1-methyl-4-(phenylmethyl)- <sup>1</sup>	-30.00	PHYSPROP	Cc2ccc(Cc1ccccc1)cc2
p-tolyltoluene <sup>2</sup>	125.00	PHYSPROP	Cc2ccc(Cc1ccccc1)cc2
4-benzyltoluene <sup>3</sup>	97.50	peer reviewed journal	c1c(cccc1)Cc2ccc(cc2)C
4-benzyltoluene	5.00	open notebook	c1c(cccc1)Cc2ccc(cc2)C
4-benzyltoluene <sup>4</sup>	-30.00	government database	c1c(cccc1)Cc2ccc(cc2)C
4-benzyltoluene	4.58	government database	c1c(cccc1)Cc2ccc(cc2)C

**compound: 4-benzyltoluene - melting point: 4.86 °C**

Entries highlighted in red are not used in calculating the average value:


1. freezes at -15C after 16 days <http://usefulchem.wikispaces.com/Exp266> JCB
2. clearly a liquid at rt <http://usefulchem.wikispaces.com/Exp266> JCB
3. clearly a liquid at rt <http://usefulchem.wikispaces.com/Exp266> JCB
4. freezes at -15C after 16 days <http://usefulchem.wikispaces.com/Exp266> JCB





# “Challenge” the Community

23078586




 - 19/19  
defined





28295599

W



 - 19/19  
defined



# Chemistry Data at RSC

- \* Chemistry is **NOT** just small molecules!
- \* Data in RSC publications will be “enabled”
- \* Data available for validation and curation
- \* The delivery of the “Datument”
- \* Data will be fed to models for validation, to retrain the models, full provenance retained
- \* Algorithms will be provided to the community

# Enhanced Mark-Up?

## Experimental

### General comments

All extractions were carried out in a closed system consisting of a Soxhlet extractor equipped with a chilled condenser (-4°C). Benzene was determined to be an efficient extraction solvent and was easily recaptured and reused. The extraction apparatus was fitted into a large walk-in hood to ensure safe ventilation of any benzene vapor that might escape from the extraction unit. For the first flash chromatography separation, Fisher 70–230 mesh silica gel with a 60 Å pore size was used; the second chromatographic step employed J.T. Baker 40 µm silica gel flash chromatography packing with a 60 Å pore size. The progress of each separation was followed by TLC on 5 × 10 cm, 250 µm TLC plates (EMD Chemicals, Darmstadt, Germany) using EtOAc-isopropanol-NH<sub>4</sub>OH, 80:14:1 (rf of cyclopamine 0.24). After development by staining with phosphomolybdic acid.

### HPLC-MS

Cyclopamine samples were analyzed via LC-electrospray ionization (ESI)-tandem mass spectrometry (MS/MS) on a quadrupole ion trap mass spectrometer (LCQ Classic, Thermo-Finnigan, San Jose, CA) coupled to a Hewlett-Packard 1100 HPLC system. A 1.2 × 10<sup>4</sup> Å silica gel column (Waters Corporation, Milford, MA) was used. The mobile phase was a gradient starting at 10% acetonitrile in 0.1% formic acid to 70% acetonitrile, 0.2% aqueous formic acid with a flow rate of 100 µL/min and a column temperature of 30°C. Mass spectra were also obtained either on a Waters Micromass ZQ Mass detector or an Agilent 1100 series HPLC system.


### Nuclear magnetic resonance

Initial NMR spectra were obtained on a Bruker Avance DPX-400 MHz spectrometer (Bruker Biospin, Inc., San Jose, CA) equipped with a 5 mm indirect detect z-gradient probe in 700 µL of CDCl<sub>3</sub>. A 2D DQCOASY experiment acquired in the phase-sensitive mode. The chemical shifts of unresolved peaks were determined using gradient versions of multiplicity-edited HSQC, and stereochemical relationships were established by employing NOESY. High-resolution mass spectrometry was performed on a Bruker Avance DPX-600 MHz spectrometer (Bruker Biospin, Inc., San Jose, CA) equipped with a triple-resonance, z-gradient cryogenic probe (5 mm cryoProbe 500 MHz, Bruker Biospin, Inc., San Jose, CA) at 125 K. In addition to standard proton and carbon spectra, a number of 2D experiments were performed. The spectra were processed using the instrument software (TopSpin, Bruker Biospin, Inc.), and analysis was conducted using iNMR (Nucleomatica, Molfetta, Italy; <http://www.inmr.net>), a computer program designed to aid in resonance assignments.

#### Chemical Name

Cyclopamine

ChemSpider Entrez MeSH Google Wiki



#### Article Markup

##### Chemical Data

##### Chemical Name

##### Chemical Element

##### Chemical Family

##### Chemical Group

##### Reaction Type

##### Structure Image

##### Analytical Data

##### PhysChem Properties

##### Biological Data

##### Drug Purpose

##### Species

##### Protein

##### Enzyme

##### Bio Image

##### Service Providers

##### Chemical Vendor

##### Hardware Vendor

##### Software Vendor



# An Error in my Abstract?



# An Error in my Abstract?

Chemists have embraced the web as a rich source of data and knowledge. However, all that **glisters** is not gold

# Thanks Shakespeare

## All that glitters is not gold

From Wikipedia, the free encyclopedia

*For other uses, see [All That Glitters \(disambiguation\)](#).*

***All that glitters is not gold*** is a well-known saying, meaning t

*The Merchant of Venice*, which employs the word "glisters,"

# Acknowledgments

- \* RSC and RSC|Cheminformatics team
- \* All data source providers, curators and annotators
- \* All software providers: commercial and open source
- \* Contributors, curators, collaborators
  
- \* Trusted Advisors: Jean-Claude Bradley, Sean Ekins, Lee Harland, Gary Martin, Martin Walker and...

Meet Valery...  
We'd love to chat...



# Thank you

Email: [williamsa@rsc.org](mailto:williamsa@rsc.org)

Twitter: ChemConnector

Personal Blog: [www.chemconnector.com](http://www.chemconnector.com)

**SLIDES:** [www.slideshare.net/AntonyWilliams](http://www.slideshare.net/AntonyWilliams)

